



**WORKSHEET - 4**  
**TOPIC – MORE ON HTML**

**SUBJECT: COMPUTER SCIENCE**  
**F.M.: 15**

**CLASS: VIII**  
**DATE: 15.02.2021**

➤ **Choose the correct option:**

**(1X15=15)**

1) Tables in HTML are defined with this tag:

- (a) <tables>                      (b) <grid>                      (c) <tab>                      (d) <table>

2) <TR> tag is used to specify:

- (a) row                      (b) column                      (c) cell                      (d) None of these

3) To add data inside the table, this tag is used:

- (a) <TableD>                      (b) <Tdata>                      (c) <TR>                      (d) <TD>

4) Non-breaking space is added using:

- (a) &npbs                      (b) &nbsp;                      (c) &nbsp;                      (d) None of these

5) This tag is used to insert caption in a table:

- (a) <h1>                      (b) <Tcaption>                      (c) <Tcapt>                      (d) <caption>

6) This tag is used to specify headings of the table:

- (a) <TD>                      (b) <TH>                      (c) <TR>                      (d) None of these

7) Which attribute is used to define table cells that span more than one row?

- (a) rowspan                      (b) spanrow                      (c) rows                      (d) None of these

8) This is used to create more white space between the cell content and its borders:

- (a) padding                      (b) cellpad                      (c) cellpadding                      (d) None of these

9) This attribute is used to add a background image to a table:

- (a) background                      (b) backimage                      (c) bgcolor                      (d) None of these

10) This attribute is used to add a background colour to a table:

- (a) background                      (b) backimage                      (c) bgcolor                      (d) None of these

11) Each term of a definition list starts with a \_\_\_\_\_ tag:

- (a) <DL>                      (b) <DD>                      (c) <DT>                      (d) None of these

12) Each description of a definition list starts with a \_\_\_\_\_ tag:

- (a) <DL>                      (b) <DD>                      (c) <DT>                      (d) None of these

13) 'src' attribute is used with the following tag:

- (a) <img>                      (b) <list>                      (c) both (a) & (b)                      (d) None of these

14) 'src' stands for:

- (a) serial                      (b) series                      (c) source                      (d) None of these

15) This attribute is used to define an 'alternate text' for an image:

- (a) al                      (b) alt                      (c) alter                      (d) None of these

\*\*\*

**PRITHWISH DE**