

ST. LAWRENCE HIGH SCHOOL



A JESUIT CHRISTIAN MINORITY INSTITUTION

Sub: Algebra and Geometry Duration: 40 min

Class: 7 Worksheet Solution 05 Algebraic Expressions Date: 30.01.21 Full Marks: 15

## 1. In a two digit number, the units digit is x and tens digit is (x+3). What is the sum of the digits in the number?

(a) 11x+3

- (b) 2x+3
- (c) 3+x
- (d) 11x+30

2. The constant term in the expression  $1 + x^2 + x$  is

- (a) 1
- (b) x
- (c) x<sup>2</sup>
- (d) None of these

3. The length and breadth of a rectangular plot are I and b. Two rectangular paths each of width W run inside the plot one parallel to the length and the other parallel to the breadth. What is the total area of the paths?

(a) (I + w)(b + w) - Ib(b) Ib - (I - w)(b - w)(c) (I + b - w)w(d) Ib - (I - 2w)(b - 2w)

4. Get the algebraic expressions for subtraction of z from y.

(a) y × z (b) y - z (c) y + z (d) y/z

5 Simplify combining like terms: 3a - 2b - ab - (a - b + ab) + 3ab + b - a(a) a - ab (b) a + ab (c) a + b (d) None of these

6. Write an expression : Raju s father s age is 5 years more than 3 times Raju s age. If Raju s age is x years, then father's age is

- (a) 3x 5
- (b) 3x + 7
- (c) 5 3x
- (d) 3x + 5

7. An expression which contains two unlike terms is called \_\_\_\_\_\_.

- (a) binomial
- (b) monomial
- (c) trinomial
- (d) None of these

8. What are the coefficients of y in the expression  $yz^2$ + 5?

(a) z

(b) z<sup>2</sup>

(c) 1 (d) 5

(u) U

9. A and B are polynomials and each is the additive inverse of the other. What does it mean?

(a) A = B (b) A+B is zero (c) A-B is zero

(d) A-B = B-A

10. A \_\_\_\_\_ can take various values.

(a) variable

(b) expression

(c) term

(d) None of these

11. What are the coefficients of y in the expression 4x - 3y?

- (a) -4
- (b) -3
- (c) 3
- (d) 4

12. What is the difference between 3a + 2b and -2a - 5b?

(a) 5a+7b

- (b) -5a-7b
- (c) 5a-7b
- (d) a-3b

13. The sum of mn + 5 - 2 and mn+3 is

- (a) 2mn + 6
- (b) mn + 6
- (c) 2mn 6
- (d) mn 6

14. Simplify these expressions and find their values, if x = 3, a = -1, b = -2. 3x - 5a - x2 + 9b

- (a) -13
- (b) 15
- (c) 13
- (d) None of these
- 15. Find the value of x + 4 for x = 2. (a) 6
- (b) 8
- (c) 4
- (d) None of these