



ST. LAWRENCE HIGH SCHOOL

A Jesuit Christian Minority Institution



WORKSHEET – 40

Topic : Files, Text file – Input/output, Binary file

Subject: COMPUTER SCIENCE

Class - 12

F.M:15

Chapter: File Handling in C

Date: 14/11/2020

Choose the correct answer for each question:

15x1=15

1. A _____ is a container in computer storage devices used for storing data.
 - a. File
 - b. Folder
 - c. Program
 - d. None of these
2. They can hold a higher amount of data, are not readable easily, and provides better security.
 - a. Text Files
 - b. Binary Files
 - c. Both (a) and (b)
 - d. None of these
3. We can easily create _____ using any simple text editors such as Notepad.
 - a. Text Files
 - b. Binary Files
 - c. Both (a) and (b)
 - d. None of these
4. Extension of binary files:
 - a. .bin
 - b. .txt
 - c. .xlsx
 - d. .doc
5. Which data type is used to declare file pointer in C?
 - a. int
 - b. char
 - c. FILE
 - d. double
6. If the mode includes b after the initial letter, what does it indicates?
 - a. text file
 - b. big text file
 - c. binary file
 - d. blueprint text
7. What is the function of the mode 'r'?
 - a. open for reading
 - b. open for reading in binary mode

- c. open for writing
 - d. open for append
8. What is the function of the mode 'rb'?
- a. open for reading
 - b. open for reading in binary mode
 - c. open for writing
 - d. open for append
9. What is the function of the mode 'w'?
- a. open for reading
 - b. open for reading in binary mode
 - c. open for writing
 - d. open for append
10. What is the function of the mode 'w+'?
- a) create text file for writing, discard previous contents if any
 - b) create text file for update, discard previous contents if any
 - c) create text file for writing, do not discard previous contents if any
 - d) create text file for update, do not discard previous contents if any
11. EOF is an integer type defined in stdio.h and has a value _____
- a) 1
 - b) 0
 - c) NULL
 - d) -1
12. Which one of the following is correct syntax for opening a file?
- a) FILE *fopen(const *filename, const char *mode)
 - b) FILE *fopen(const *filename)
 - c) FILE *open(const *filename, const char *mode)
 - d) FILE open(const*filename)
13. The file (both text and binary) should be _____ after reading/writing.
- a. scanned
 - b. deleted
 - c. closed
 - d. none of these
14. In 'r' mode, if the file does not exist, fopen() returns _____.
- a. 0
 - b. 1
 - c. NULL
 - d. -1
15. _____ is a pointer which is used to handle and keep track on the files being accessed.
- a. Array pointer
 - b. Pointer to function
 - c. Pointer to Pointer
 - d. File Pointer**