



ST. LAWRENCE HIGH SCHOOL

A JESUIT CHRISTIAN MINORITY INSTITUTION



Worksheet 26

Sub: Geography

Class: 11

Date: 25-7-2020

Unit 3: Vulcanicity: Types of Central Eruption First Term

1. Choose the correct answer

- a. Pele's Hair is seen in i. Vesuvius-Etna type ii. Strombolian type iii. Hawaiian type iv. Pelean type
- b. i. Vesuvius-Etna type ii. Strombolian type iii. Hawaiian type iv. Pelean type is known as "Lighthouse of the Mediterranean"
- c. i. Vesuvius-Etna type ii. Strombolian type iii. Hawaiian type iv. Pelean type is found in the Martinique Islands of the West Indies
- d. i. Vesuvius-Etna type ii. Strombolian type iii. Hawaiian type iv. Pelean type is the famous volcano of Italy
- e. i. Vesuvius-Etna type ii. Strombolian type iii. Hawaiian type iv. Pelean type is found in Lipari island
- f. Mount Pele destroyed St. Pierre town in i. 79 AD ii. 1902 iii. 1883 iv. None of these
- g. Krakatoa eruption destroyed the island in i. 79 AD ii. 1902 iii. 1883 iv. None of these
- h. Historian Pliny first observed the Plinian type eruption in i. 79 AD ii. 1902 iii. 1883 iv. None of these
- i. Mouna Loa the highest volcano of the world is i. Vesuvius-Etna type ii. Strombolian type iii. Hawaiian type iv. Pelean type
- j. Mount Fujiama is i. active ii. Dormant iii. Incessant iv. Extinct
- k. Mt. Erebus of Antarctica is i. active ii. Dormant iii. Incessant iv. Extinct
- l. Mt. Kilimanjaro of Kenya is i. active ii. Dormant iii. Incessant iv. Extinct
- m. Mainly basic lava is found in i. Hawaiian ii. Vesuvius-Etna type iii. Pelean iv. I and ii type volcano
- n. Mainly acidic-viscous lava is found in i. Hawaiian ii. Vesuvius-Etna type iii. Pelean iv. I and ii type volcano
- o. Very large caldera is formed in i. Hawaiian ii. Vesuvian iii. Krakatoan iv. Strombolian type

Susmita Banerjee