

## **ST. LAWRENCE HIGH SCHOOL** A JESUIT CHRISTIAN MINORITY INSTITUTION



Worksheet-8

## **SUBJECT – MATHEMATICS**

Pre-test

Chapter: Continuity & Differentiability

Topic: Continuity & Differentiability

Choose the correct option

(1 X 15= 15)

Class: XII

Date: 13.06.2020

- 1. The function f(x) is continuous at x=0 if
  - a)  $\lim_{x\to 0} f(x)$  exists.
  - b) f(0) is infinite.
  - c)  $\lim_{x\to 0} f(x) = f(0)$
  - d)  $\lim_{x\to 0^+} f(x) = \lim_{x\to 0^-} f(x)$
- 2. The function f(x) = |x| is
  - a) Continuous at all real values of x
  - b) Discontinuous at x=0
  - c) Continuous only at x=0
  - d) None of these.

3. The greatest integer function f(x) = [x] is -

- a) Continuous at all real values of x
- b) Continuous only at non-integral values of x
- c) Continuous at all integral values of x
- d) None of these.

4. The function  $f(x) = x^k$  is continuous at x = k, when -

a)  $k \neq 0$ , b) k < 0, c)  $k \le 0$ , d)  $k \ge 0$ 

- 5. The point of discontinuities of the function  $f(x) = \frac{x+2}{2x^2-x-1}$  are
  - a)  $\frac{1}{2}$ , -1 , b)  $-\frac{1}{2}$ , -1 , c)  $-\frac{1}{2}$ , 1 , d)  $\frac{1}{2}$ , 1

6. The function 
$$f(x) = \frac{1}{\sin x - \cos x}$$
 is discontinuous at -

a)  $n\pi + \frac{\pi}{4}, n \in \mathbb{Z}$ , b)  $n\pi + (-1)^n \frac{\pi}{4}, n \in \mathbb{Z}$ , c)  $n\pi - \frac{\pi}{4}, n \in \mathbb{Z}$ , d)  $n\pi + \frac{3\pi}{4}, n \in \mathbb{Z}$ 

7. The function 
$$f(x) = \begin{cases} \frac{|x-1|}{x-1}, & \text{when } x \neq 1 \\ 0, & \text{when } x = 1 \end{cases}$$

- a) Continuous at all real values of x
- b) Discontinuous at x=1
- c) Continuous only at x=1
- d) None of these.

8. Let f(x + y) = f(x) + f(y),  $\forall x, y \in \mathbb{R}$ . If f(x) is continuous at x=0, then f(x) -

- a) Continuous at all real values of x
- b) Discontinuous at x=1
- c) Continuous only at x=1
- d) None of these.

9. The function 
$$f(x) = \begin{cases} 2x+1, & when \ x < 2 \\ k, & when \ x = 2 \\ 3x-1, & when \ x > 2 \end{cases}$$
  
Find the value of k for which  $f(x)$  is continuous of

Find the value of k for which f(x) is continuous at x=2.

a) 5 , b) 0 , c) -2 , d) 3

- **10.** The function f(x) = |x + 1| *is*
  - a) Continuous at x = -1
  - **b)** Differentiable at x = 1
  - c) Differentiable at  $x = \pm 1$
  - d) None of these.

**11.Let the function** f(x) = |x|. Then at x = 0 the function is –

- a) Not Continuous.
- b) Continuous but not differentiable
- c) Differentiable but not Continuous
- d) Differentiable and Continuous.

12. The function  $f(x) = \begin{cases} x \sin \frac{1}{x} & when \ x \neq 1 \\ 0, & when \ x = 1 \end{cases}$ Then at x = 0 the function is –

- a) Not Continuous.
- b) Continuous but not differentiable
- c) Differentiable but not Continuous
- d) Differentiable and Continuous.

13. The function f(x) = x - [x], where [.] denotes the greatest integer function, is -

- a) Continuous everywhere.
- b) Continuous only at non-integral values of x.
- c) Continuous at all integral values of x.
- d) Differentiable everywhere.

**14.** The function  $f(x) = 1 + |\cos x|$  is –

- a) Continuous no where
- b) Continuous everywhere
- c) Not differentiable at x=0
- d) Not differentiable at  $x = n\pi$ ,  $n \in \mathbb{Z}$ .

15. The set of points where the function f(x) given by  $f(x) = |x - 3| \cos x$  is differentiable, is –

- **a)** ℝ
- **b)**  $\mathbb{R} \{3\}$
- **c)** (**0**,∞)
- d) None of these.

Prepared by :-SUKUMAR MANDAL (SkM).