



**ST. LAWRENCE HIGH SCHOOL**



**A JESUIT CHRISTIAN MINORITY INSTITUTION**

**Solutions – 51**

**Class: XII**

**Sub: Biological Science**

**Date: 07.11.2020**

**Topic: Ch (4) Part I – Reproductive Health : Amniocentesis and Birth Control Measures**

**F.M. : 15**

**Choose the correct option:**

**(1x15=15)**

1. According to World Health Organisation the word reproductive health encompasses :-  
a) Reproductively healthy persons b) Normal physical and functional of reproductive structure  
c) Normal emotional and behavioral interactions in sex-related aspects d) All of these  
**Answer : All of these (d)**
2. Early marriage results in :-  
a) Ill health of mothers b) High maternal mortality rate c) deformities in children d) All of these  
**Answer : All of these (d)**
3. Family planning programme was initiated in the year :-  
a) 1951 b) 2001 c) 1961 d) 1991  
**Answer : 1951 (a)**
4. Strategies for good reproductive health includes :-  
a) Awareness about reproduction b) Sex education c) Family planning programme d) All of these  
**Answer : All of these (d)**
5. The oral contraceptive 'Saheli' was developed by :-  
a) World health organisation b) Central Drug Research Institute c) Reproduction and Child health care d) All of these  
**Answer : Central Drug Research Institute (b)**
6. Central Drug Research Institute is present in \_\_\_\_\_.  
a) New Delhi b) Lucknow c) Mirzapur d) Mumbai  
**Answer : Lucknow (b)**
7. The following may not be the strategy of birth control measure :-  
a) Prevention of sperm transport b) Prevention of egg transport c) Prevention of ovulation  
d) Prevention of Implantation  
**Answer : Prevention of egg transport (b)**
8. In periodic abstinence method, the act of copulation is prevented during :-  
a) Luteal phase b) Ovulatory phase c) Proliferative phase d) Follicular phase  
**Answer : Ovulatory phase (b)**

9. Lactational Amenorrhoea method is effective because :-  
a) No ovulation due to lactation b) No implantation c) Uterine endometrium d) All of these  
**Answer : No ovulation due to lactation (a)**
10. Barrier method include :-  
a)Condoms b) Diaphragms c) Cervical caps d) All of these  
**Answer : All of these (d)**
11. The following is the chief component of sponge suppository :-  
a)Citric acid b) Boric acid c) Nonoxynol d) Lactic acid  
**Answer : Nonoxynol (c)**
12. Copper released by the Intra uterine devices causes :-  
a) Phagocytosis of sperms b) Affect fertilizing capacity of sperms c) Affects sperm motility  
d) Both (b) and (c)  
**Answer : Both (b) and (c) (d)**
13. The following is the demerit of IUCDs :-  
a) Excess menstrual bleeding b) Risk of infection c) Tubal pregnancy d) All of these  
**Answer : All of these (d)**
14. The subcutaneous contraceptive implants are called :-  
a) Norplants b) Combined pills c) Depo provera d) Mala D  
**Answer : Norplants (a)**
15. The permanent birth control method is :-  
a) Norplants b) Vasectomy c) Tubectomy d) Both (b) and (c)  
**Answer : Both (b) and (c) (d)**

Shaista Ahmed