



St. Lawrence High School
A Jesuit Christian Minority Institution



Term : 2nd

Work Sheet – 39

Subject – Physics

Class – XI

Date – 06.02.21

Chapter – Thermodynamics

Choose the correct option for the following questions.

1 × 15 = 15

- If ΔU represents the increase in internal energy and W the work done by the system, which of the following is correct?
 - $\Delta U = -W$ is an isothermal process
 - $\Delta U = W$ is an isothermal process
 - $\Delta U = -W$ is an adiabatic process
 - $\Delta U = W$ is an adiabatic process
- The specific heat of a gas in an isothermal process is
 - Infinite
 - zero
 - negative
 - remains constant
- Initial pressure and volume of a gas is P and V respectively. It is expanded isothermally to a volume $4V$ and then its volume is made V by adiabatic process. Its final pressure is ($\gamma = 1.5$)
 - $8P$
 - $4P$
 - $2P$
 - P
- During adiabatic expansion of 2mole of a gas, the internal energy is found to decrease by 2J. The work done by the gas during the process is
 - 2J
 - 1J
 - 2J
 - 1J
- The ratio of slopes of P - V graphs of adiabatic and isothermal process is
 - γ
 - $\frac{1}{\gamma}$
 - $1 + \gamma$
 - $1 - \gamma$
- A gas expands from 2m^3 to 6m^3 at constant pressure 10 Pa. and then at constant volume the pressure is changed from 10Pa to 20Pa. the total work done by the gas is
 - 40J
 - 100J
 - 60J
 - 240J
- 1mole of an ideal gas at initial temp TK does $6R$ joules work adiabatically. If $\gamma = \frac{5}{3}$, then final temp of the gas will be
 - $T - 4\text{ K}$
 - $T + 4\text{ K}$
 - $T - 2.4\text{ K}$
 - $T + 2.4\text{ K}$
- 10 moles of an ideal gas at constant temp 500K is compressed from 50lit to 5lit. work done in the process is
 - -1.2×10^4
 - -2.4×10^4
 - -4.8×10^4
 - -9.4×10^4
- The height of a waterfall is 50m. if $g=9.8\text{m/s}^2$, the difference between the temp at the top and the bottom of the waterfall is
 - 1.17°C
 - 2.17°C
 - 0.117°C
 - 1.43°C
- An ideal gas is compressed isothermally until its pressure becomes double and then allowed to expand adiabatically to regain its original volume ($\gamma = 1.4$). the ratio of the final to initial pressure is
 - 0.76:1
 - 1:1
 - 0.66:1
 - 0.86:1
- Starting with the same initial conditions, an ideal gas expands from volume V to v in three different ways, the work done by the gas is x , y and z respectively for the process to be isothermal, isochoric and adiabatic. Then
 - $y > x > z$
 - $y > z > x$
 - $x > y > z$
 - $x > z > y$
- Air in a cylinder is suddenly compressed by a piston which is then maintained at the same position. After some time, the
 - Pressure will increase
 - Pressure will decrease

- c. Remains same
 - d. Becomes zero
13. The internal energy of a gas during isothermal expansion
- a. Increases
 - b. Decreases
 - c. Becomes zero
 - d. Remains constant
14. When a gas expands adiabatically
- a. Law of conservation does not hold
 - b. Internal energy of the gas is used in doing work
 - c. No energy is required for expansion .
 - d. None
15. In an adiabatic process, the quantity which remains constant is
- a. Volume
 - b. Pressure
 - c. Temperature
 - d. Total energy of the system

Name of the teacher – Soumitra Maity