

## ST. LAWRENCE HIGH SCHOOL



## A Jesuit Christian Minority Institution

## WORKSHEET -11(ANSWER KEY)

## <u>Topic – Introduction to QBASIC and few commands</u>

Subject	COMPUTE	ER Class - 7	F.M:15
Chapter	: QBASIC		Date: 7/11/202
Choo	se the co	orrect answer for each question:	[15 x 1 =15]
1.		refers to the set of instructions given to a computer to perform a sp	
	a. P	rogrammer	
		rogram	
		rogramming	
	d. N	lone of these	
2.		is a way to instruct the computer to perform various tasks.	
	a. P	rogrammer	
	b. P	rogram	
	c. <u>P</u>	rogramming	
	d. N	lone of these	
3.		is a language understandable by computer when programmed.	
	a. P	rogrammer	
	b. P	rogram	
	c. P	rogramming	
	d. <u>P</u>	rogramming Language	
4.		_ develops the computer program or codes using any programming la	inguage to
	instruct co	omputer what it has to do after creating its algorithm.	
	a. <u>P</u>	<u>rogrammer</u>	
	b. P	rogram	
	c. P	rogramming	
	d. N	lone of these	
5.	QBASIC st	tands for:	
	a. Q	Quote Beginner's All-Purpose Symbolic Instruction Code	
		Quick Beginner's All-Purpose Symbolic Instruction Code	
	c. Q	Quite Beginner's All-Purpose Symbolic Instruction Code	
		Quit Beginner's All-Purpose Symbolic Instruction Code	
6.	Common	versions of BASIC are:	
		RBASIC	
		SWBASIC	
		YZBASIC	
		oth (a) and (b)	
7.		s a language.	
	a. Id	ow –level	

	o. Assembly level
	c. <u>High Level</u>
	d. None of these
8. To s	ee the result /execution of the program, key is pressed.
	a. Ctrl + A
	p. <u>F5</u>
	c. F2
	d. Ctrl +X
9. The	command tells the QBASIC interpreter to print something on the screen.
,	a. END
	p. <u>PRINT</u>
	c. CLS
	d. None of these
	ch of the following commands are used to give comments within the source code withou
	cting the program?
	a. END
	o. PRINT
	c. CLS
	d. <u>REM</u>
	command tells the QBASIC interpreter to clear the screen.
	a. END
	p. PRINT
	c. <u>CLS</u>
	d. None of these
	command marks the termination of current program.
	a. <u>END</u> b. PRINT
	c. CLS
	d. None of these
	causes the output to be displayed after leaving a gap of 8-10 characters
	roximately).
	a. Question mark (?)
	c. Comma (,)
	c. Underscore(_)
	d. Colon (:)
	causes the output to be printed in continuous fashion without any space.
	a. Comma (,)
	o. Semi-colon (;)
	c. Hyphen (-)
	d. colon (:)

a. Question mark (?) b. Hyphen (-) c. Underscore(_) d. Colon(:)  Phalguni Pramanik	
<ul><li>b. Hyphen (-)</li><li>c. Underscore(_)</li><li>d. <u>Colon(:)</u></li></ul>	
c. Underscore(_) d. <u>Colon(:)</u>	
d. <b>Colon(:)</b>	